


Fourth Quarter 2013

Vol. 11, No. 4



Louisiana Office of Public Health

STD/HIV Program

DeAnn Gruber, PhD, LCSW

Administrative Director

Jeffrey Hitt, M.Ed

Associate Director

Debbie Wendell, PhD, MPH

Data Management/Analysis Manager

Jessica Fridge, MSPH

Surveillance Program Manager

Editor/Production:

Demerial Banks, MPH

Data Management/Analysis and Surveillance:

Demerial Banks, MPH, *Surveillance Epidemiologist*

Tania Bechtel, *Data Manager*

Carmen Washington, *Data Manager*

Joseph Foxhood, BA, *OPH IT Project Manager*

George Stephens, *Information Systems Administrator*

Josette Russell, *Data Entry Specialist*

Lakeesha Brumfield, *Data Entry Specialist*

William T. Robinson, Ph.D., *Biostatistician*

Elliot Brannon, MPH, *Perinatal Surveillance Coordinator*

Rashad Arcement, MSPH, *Incidence & Resistance Coordinator*

Field Epidemiologists:

Betsy Shepard, PAC, MPH, *Epidemiologist Supervisor*

James Hubbard
Connie Gordon

Region 1
Regions 1, 3

Cheryl Edney, BS MT(ASCP)
Gayle Norris, MA
Gale Terry, LPN

Regions 4, 5, 6
Regions 7, 8
Regions 2, 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39
List of Figures	
Louisiana: 10-Year Trends New HIV and New AIDS Diagnoses (2003-2012)	40
New HIV Diagnoses	
New AIDS Diagnoses	
Louisiana: 10-Year Persons Living with HIV/AIDS Trends (2003-2012)	41
Persons Living with HIV/AIDS	
Persons Living with AIDS	

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of December 31, 2013¹.

- In 2011, Louisiana ranked **3rd** in the nation for estimated HIV case rates (30.2 per 100,000 population) and 11th in the estimated number of HIV infection cases. The New Orleans MSA ranked **2nd** in the nation and the Baton Rouge MSA ranked **3rd** in the nation for estimated HIV case rates (43.0 and 41.6 per 100,000, respectively), among the large metropolitan areas in the nation. The most recent *CDC HIV Surveillance Report* (Vol. 23), for the first time, had a national comparison of estimated HIV case rates.
- According to the same report, Louisiana ranked **4th** highest in estimated state AIDS case rates (18.1 per 100,000) and 11th in the number of estimated AIDS cases in 2011. The Baton Rouge metropolitan area ranked **1st** in estimated AIDS case rates (29.4 per 100,000) and the New Orleans metropolitan area ranked **4th** in estimated AIDS case rates (25.3 per 100,000) in 2011 among the large metropolitan areas in the nation.
- A total of **19,377** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,590** persons (55%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by high-risk heterosexual contact.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2012, of the persons who reported a risk factor, 61% reported being MSM, and an additional 1% reported being MSM and an injection drug user (IDU). As of December 31, 2013, 52% of all people living with HIV infection in Louisiana were MSM.
- In 2012, **1,062** new HIV cases were diagnosed in Louisiana. Of these cases, **33%** (n=346) occurred in Region 1 (New Orleans) and **24%** (n=254) occurred in Region 2 (Baton Rouge).
- In 2012, **778** new AIDS cases were diagnosed in Louisiana. Of these cases, **33%** (n=255) occurred in Region 1 (New Orleans) and **25%** (n=196) occurred in Region 2 (Baton Rouge).
- In Louisiana, **30%** of new HIV cases and **28%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2012, **76%** of newly diagnosed HIV cases and **79%** of newly diagnosed AIDS cases were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new diagnoses occurred among adolescents and young adults. In 2012, **26%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **27%** occurred among persons 25-34 years old.
- As of December 31, 2013, a cumulative total of **34,301** HIV/AIDS cases have been reported in Louisiana since the beginning of the epidemic, including **340** pediatric cases. The cumulative total includes persons that are deceased.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the STD/HIV Program through December 31, 2013, is **14,719** including **115** deaths among pediatric cases.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system.

Persons Living with HIV/AIDS
Louisiana
as of December 31, 2013

- **34,301** cumulative cases have been detected in Louisiana, including **340** pediatric cases.
- **14,719** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **115** pediatric deaths.
- **19,377** persons are currently living with HIV/AIDS in Louisiana.
Persons living with HIV: **8,787**
Persons living with AIDS: **10,590**

Gender

	Cases	Percent
Women	5,751	30 %
Men	13,626	70 %
Total	19,377	100 %

Age Category

Current Age	Cases	Percent
0 - 12	67	<1 %
13 - 19	166	1 %
20 - 24	977	5 %
25 - 29	1,654	9 %
30 - 34	2,086	11 %
35 - 39	2,318	12 %
40 - 44	2,453	13 %
45 - 49	2,883	15 %
50 - 54	2,924	15 %
55 - 59	1,993	10 %
60+	1,856	10 %
Total	19,377	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	8,514	4,753	13,267	68 %
White, Non-Hispanic	4,339	798	5,137	27 %
Hispanic	595	148	743	4 %
Asian/Pacific Islander	60	13	73	<1 %
American Indian	27	7	34	<1 %
Unknown	9	1	10	<1 %
Multi-race	82	31	113	1 %
Total	13,626	5,751	19,377	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	6,671	0	6,671	52 %
Injection drug use	1,110	656	1,766	14 %
Men who have sex with men and inject drugs	825	0	825	6 %
Heterosexual contact	1,092	2,313	3,405	26 %
Transfusion/Hemophilia	44	32	76	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	92	104	196	2 %
Total	9,834	3,106	12,940	100 %
<i>No Identified Risk</i>	3,792	2,645	6,437	

Persons Living with AIDS
Louisiana
as of December 31, 2013

- **23,202** cumulative AIDS cases have been diagnosed in Louisiana, including **183** pediatric cases.
- **10,590** persons are currently living with AIDS in Louisiana.

Gender

	Cases	Percent
Women	2,972	28 %
Men	7,618	72 %
Total	10,590	100 %

Age Category

Current Age	Cases	Percent
0 - 12	12	<1 %
13 - 19	42	<1 %
20 - 24	265	3 %
25 - 29	559	5 %
30 - 34	947	9 %
35 - 39	1,202	11 %
40 - 44	1,436	14 %
45 - 49	1,789	17 %
50 - 54	1,857	18 %
55 - 59	1,288	12 %
60+	1,193	11 %
Total	10,590	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	4,791	2,489	7,280	69 %
White, Non-Hispanic	2,426	372	2,798	26 %
Hispanic	314	91	405	4 %
Asian/Pacific	28	5	33	<1 %
American Indian	10	2	12	<1 %
Multi-race	49	13	62	1 %
Total	7,618	2,972	10,590	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	3,589	0	3,589	49 %
Injection drug use	764	374	1,138	16 %
Men who have sex with men and inject drugs	565	0	565	8 %
Heterosexual contact	669	1,231	1,900	26 %
Transfusion/Hemophilia	31	22	53	1 %
Perinatal	39	45	84	1 %
Total	5,657	1,672	7,329	100 %

No Identified Risk

1,961 1,300 3,261

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2012

• **1,062** persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	740	70 %	Black, Non-Hispanic	802	76 %
Women	322	30 %	White, Non-Hispanic	201	19 %
Total	1,062	100 %	Hispanic	42	4 %
			Asian/Pacific Islander	7	1 %
			American Indian	2	<1 %
			Unknown	1	<1 %
			Multi-race	7	1 %
			Total	1,062	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	10	1 %	Men who have sex with men	390	61 %
13 - 24	273	26 %	Injection drug use	48	8 %
25 - 34	288	27 %	Men who have sex with men and inject drugs	9	1 %
35 - 44	202	19 %	Heterosexual contact	183	29 %
45+	289	27 %	Perinatal	10	2 %
Total	1,062	100 %	Total	640	100 %

<i>No Identified Risk</i>	<i>422</i>
---------------------------	------------

AIDS CASES DIAGNOSED January - December 2012

• **778** persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	521	67 %	Black, Non-Hispanic	613	79 %
Women	257	33 %	White, Non-Hispanic	123	16 %
Total	778	100 %	Hispanic	29	4 %
			Asian/Pacific Islander	3	<1 %
			American Indian	3	<1 %
			Multi-race	7	1 %
			Total	778	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	245	53 %
13 - 24	114	15 %	Injection drug use	54	12 %
25 - 34	216	28 %	Men who have sex with men and inject drugs	10	2 %
35 - 44	187	24 %	Heterosexual contact	145	32 %
45+	260	33 %	Perinatal	5	1 %
Total	778	100 %	Total	459	100 %

<i>No Identified Risk</i>	<i>319</i>
---------------------------	------------

Persons Living with HIV/AIDS by Parish
as of December 31, 2013

Fourth Quarter 2013

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	114	Sabine	21
Allen	266	St. Bernard	169
Ascension	219	St. Charles	102
Assumption	26	St. Helena	20
Avoyelles	175	St. James	73
Beauregard	45	St. John the Baptist	153
Bienville	32	St. Landry	264
Bossier	184	St. Martin	111
Caddo	1007	St. Mary	79
Calcasieu	646	St. Tammany	402
Caldwell	20	Tangipahoa	371
Cameron	1	Tensas	36
Catahoula	29	Terrebonne	213
Claiborne	60	Union	32
Concordia	45	Vermilion	91
De Soto	56	Vernon	64
East Baton Rouge	3,771	Washington	184
East Carroll	31	Webster	74
East Feliciana	165	West Baton Rouge	96
Evangeline	76	West Carroll	12
Franklin	39	West Feliciana	172
Grant	31	Winn	43
Iberia	112		
Iberville	389		
Jackson	31		
Jefferson	1,757		
Jefferson Davis	60		
La Salle	24		
Lafayette	713		
Lafourche	134		
Lincoln	88		
Livingston	198		
Madison	34		
Morehouse	62		
Natchitoches	118		
Orleans	4,658		
Ouachita	591		
Plaquemines	35		
Pointe Coupee	56		
Rapides	439		
Red River	13		
Richland	43		
		Total	19,377

**Persons Living with AIDS by Parish
as of December 31, 2013**

Fourth Quarter 2013

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	69	St. Bernard	107
Allen	148	St. Charles	52
Ascension	115	St. Helena	12
Assumption	11	St. James	37
Avoyelles	93	St. John the Baptist	90
Beauregard	29	St. Landry	157
Bienville	16	St. Martin	63
Bossier	94	St. Mary	45
Caddo	520	St. Tammany	220
Calcasieu	373	Tangipahoa	199
Caldwell	8	Tensas	16
Catahoula	16	Terrebonne	121
Claiborne	33	Union	24
Concordia	26	Vermilion	52
De Soto	28	Vernon	34
East Baton Rouge	2,095	Washington	97
East Carroll	17	Webster	34
East Feliciana	92	West Baton Rouge	55
Evangeline	39	West Carroll	7
Franklin	15	West Feliciana	104
Grant	13	Winn	26
Iberia	65		
Iberville	236		
Jackson	18		
Jefferson	969		
Jefferson Davis	31		
La Salle	13		
Lafayette	363		
Lafourche	82		
Lincoln	46		
Livingston	108		
Madison	14		
Morehouse	37		
Natchitoches	58		
Orleans	2,524		
Ouachita	300		
Plaquemines	27		
Pointe Coupee	38		
Rapides	207		
Red River	10		
Richland	27		
Sabine	15		
		Total	10,590

Persons Living with HIV/AIDS
Metro New Orleans
as of December 31, 2013

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **15,861** cumulative cases have been detected in the New Orleans MSA, including **162** pediatric cases.
- **6,862** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **55** pediatric deaths
- **7,349** persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: **3,323**
Persons living with AIDS: **4,026**

Gender

	Cases	Percent
Women	1,940	26 %
Men	5,409	74 %
Total	7,349	100 %

Age Category

Current Age	Cases	Percent
0 - 12	25	<1 %
13 - 19	55	1 %
20 - 24	348	5 %
25 - 29	623	8 %
30 - 34	723	10 %
35 - 39	845	11 %
40 - 44	893	12 %
45 - 49	1,109	15 %
50 - 54	1,119	15 %
55 - 59	816	11 %
60+	801	11 %
Total	7,349	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,962	1,592	4,554	62 %
White, Non-Hispanic	2,048	232	2,280	31 %
Hispanic	324	101	425	6 %
Asian/Pacific Islander	33	7	40	1 %
American Indian	8	0	8	<1 %
Unknown	5	1	6	<1 %
Multi-race	29	7	36	<1 %
Total	5,409	1,940	7,349	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,955	0	2,955	59 %
Injection drug use	333	204	537	11 %
Men who have sex with men and inject drugs	299	0	299	6 %
Heterosexual contact	337	776	1,113	22 %
Transfusion/Hemophilia	20	15	35	1 %
Perinatal	31	44	75	1 %
Total	3,975	1,039	5,014	100 %

<i>No Identified Risk</i>	<i>1,434</i>	<i>901</i>	<i>2,335</i>	
---------------------------	--------------	------------	--------------	--

Persons Living with AIDS
Metro New Orleans
as of December 31, 2013

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **10,849** cumulative AIDS cases have been diagnosed in the New Orleans MSA, including **85** pediatric cases.
- **4,026** persons are currently living with AIDS in the New Orleans MSA.

Gender

	Cases	Percent
Women	1,046	26 %
Men	2,980	74 %
Total	4,026	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	13	<1 %
20 - 24	103	3 %
25 - 29	187	5 %
30 - 34	323	8 %
35 - 39	427	11 %
40 - 44	525	13 %
45 - 49	689	17 %
50 - 54	713	18 %
55 - 59	533	13 %
60+	510	13 %
Total	4,026	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,628	865	2,493	62 %
White, Non-Hispanic	1,133	104	1,237	31 %
Hispanic	182	70	252	6 %
Asian/Pacific Islander	15	4	19	<1 %
American Indian	2	0	2	<1 %
Multi-race	20	3	23	1 %
Total	2,980	1,046	4,026	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,593	0	1,593	56 %
Injection drug use	212	117	329	12 %
Men who have sex with men and inject drugs	203	0	203	7 %
Heterosexual contact	218	442	660	23 %
Transfusion/Hemophilia	15	10	25	1 %
Perinatal	12	20	32	1 %
Total	2,253	589	2,842	100 %

<i>No Identified Risk</i>	<i>727</i>	<i>457</i>	<i>1,184</i>	
---------------------------	------------	------------	--------------	--

Persons Newly Diagnosed with HIV/AIDS**Metro New Orleans***Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes***HIV CASES DIAGNOSED January - December 2012**

- 401 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	279	70 %	Black, Non-Hispanic	292	73 %
Women	122	30 %	White, Non-Hispanic	83	21 %
Total	401	100 %	Hispanic	21	5 %
			Asian/Pacific Islander	3	1 %
			American Indian	1	<1 %
			Unknown	1	<1 %
			Total	401	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	4	1 %	Men who have sex with men	163	62 %
13 - 24	99	25 %	Injection drug use	15	6 %
25 - 34	116	29 %	Men who have sex with men and inject drugs	2	1 %
35 - 44	73	18 %	Heterosexual contact	77	30 %
45+	109	27 %	Perinatal	4	2 %
Total	401	100 %	Total	261	100 %
			<i>No Identified Risk</i>	<i>140</i>	

AIDS CASES DIAGNOSED January - December 2012

- 286 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	205	72 %	Black, Non-Hispanic	216	69 %
Women	80	28 %	White, Non-Hispanic	48	25 %
Total	286	100 %	Hispanic	16	6 %
			Asian/Pacific Islander	2	1 %
			American Indian	1	<1 %
			Multi-race	2	1 %
			Total	285	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	110	57 %
13 - 24	40	14 %	Injection drug use	16	8 %
25 - 34	78	27 %	Men who have sex with men and inject drugs	6	3 %
35 - 44	75	26 %	Heterosexual contact	58	30 %
45+	91	32 %	Perinatal	2	1 %
Total	285	100 %	Total	192	100 %
			<i>No Identified Risk</i>	<i>93</i>	

Persons Living with HIV/AIDS**Metro Baton Rouge****as of December 31, 2013***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

- **7,842** cumulative cases have been detected in the Baton Rouge MSA, including **78** pediatric cases.
- **3,344** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including **20** pediatric deaths
- **5,086** persons are currently living with HIV/AIDS in the Baton Rouge MSA.
Persons living with HIV: **2,231**
Persons living with AIDS: **2,855**

Gender

	Cases	Percent
Women	1,817	36 %
Men	3,269	64 %
Total	5,086	100 %

Age Category

Current Age	Cases	Percent
0 - 12	23	<1 %
13 - 19	45	1 %
20 - 24	253	5 %
25 - 29	423	8 %
30 - 34	623	12 %
35 - 39	653	13 %
40-44	694	14 %
45- 49	715	14 %
50 - 54	731	14 %
55 - 59	467	9 %
60+	459	9 %
Total	5,086	100 %

Race/Ethnicity

Men	Women	Total	Percent	
	2,556	1,627	4,183	82 %
	640	162	802	16 %
	46	15	61	1 %
	8	3	11	<1 %
	2	1	3	<1 %
	17	9	26	1 %
	3,269	1,817	5,086	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	1,282	0	1,282	40 %
Injection drug use	403	227	630	20 %
Men who have sex with men and inject drugs	202	0	202	6 %
Heterosexual contact	330	655	985	31 %
Transfusion/Hemophilia	7	8	15	<1 %
Perinatal	28	28	56	2 %
Total	2,252	918	3,170	100 %

*No Identified Risk**1,017 899 1,916*

Persons Living with AIDS
Metro Baton Rouge
as of December 31, 2013

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **5,346** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA, including **35** pediatric cases.
- **2,855** persons are currently living with AIDS in the Baton Rouge MSA.

Gender

	Cases	Percent
Women	942	33 %
Men	1,913	67 %
Total	2,855	100 %

Age Category

Current Age	Cases	Percent
0 - 12	4	<1 %
13 - 19	13	<1 %
20 - 24	67	2 %
25 - 29	158	6 %
30 - 34	295	10 %
35 - 39	353	12 %
40 - 44	420	15 %
45 - 49	448	16 %
50 - 54	485	17 %
55 - 59	312	11 %
60+	300	11 %
Total	2,855	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,527	862	2,389	84 %
White, Non-Hispanic	348	70	418	15 %
Hispanic	24	8	32	1 %
Asian/Pacific Islander	3	0	3	<1 %
American Indian	2	0	2	<1 %
Multi-race	9	2	11	<1 %
Total	1,913	942	2,855	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	690	0	690	37 %
Injection drug use	309	140	449	24 %
Men who have sex with men and inject drugs	144	0	144	8 %
Heterosexual contact	204	345	549	29 %
Transfusion/Hemophilia	5	6	11	1 %
Perinatal	10	9	19	1 %
Total	1,362	500	1,862	100 %
<i>No Identified Risk</i>	<i>551</i>	<i>442</i>	<i>993</i>	

Persons Newly Diagnosed with HIV/AIDS

Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

HIV CASES DIAGNOSED January - December 2012

- 272 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	168	62 %	Black, Non-Hispanic	234	86 %
Women	104	38 %	White, Non-Hispanic	31	11 %
Total	272	100 %	Hispanic	6	2 %
			Asian/Pacific Islander	1	<1 %
			Total	272	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	4	1 %	Men who have sex with men	79	53 %
13 - 24	65	24 %	Injection drug use	14	9 %
25 - 34	85	31 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	54	20 %	Heterosexual contact	48	32 %
45+	64	24 %	Perinatal	4	3 %
Total	272	100 %	Total	148	100 %

No Identified Risk

124

AIDS CASES DIAGNOSED January - December 2012

- 208 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	127	61 %	Black, Non-Hispanic	184	88 %
Women	81	39 %	White, Non-Hispanic	21	10 %
Total	208	100 %	Hispanic	2	1 %
			Total	208	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	30	14 %	Men who have sex with men	53	50 %
25 - 34	60	29 %	Injection drug use	20	19 %
35 - 44	49	24 %	Men who have sex with men and inject drugs	2	2 %
45+	69	33 %	Heterosexual contact	30	29 %
Total	208	100 %	Total	105	100 %

No Identified Risk

103

Persons Living with HIV/AIDS**Region 1: New Orleans Region****as of December 31, 2013***Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

- **14,842** cumulative cases have been detected in Region 1, including **144** pediatric cases.
- **6,265** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **49** pediatric deaths.
- **6,619** persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: **2,992**
Persons living with AIDS: **3,627**

Gender

	Cases	Percent
Women	1,737	26 %
Men	4,882	74 %
Total	6,619	100 %

Age Category

Current Age	Cases	Percent
0 - 12	18	<1 %
13 - 19	47	1 %
20 - 24	306	5 %
25 - 29	560	8 %
30 - 34	663	10 %
35 - 39	761	11 %
40 - 44	802	12 %
45 - 49	987	15 %
50 - 54	1,003	15 %
55 - 59	737	11 %
60+	735	11 %
Total	6,619	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,736	1,454	4,190	63 %
White, Non-Hispanic	1,769	176	1,945	29 %
Hispanic	310	94	404	6 %
Asian/Pacific Islander	31	5	36	1 %
American Indian	7	0	7	<1 %
Unknown	5	1	6	<1 %
Multi-race	24	7	31	<1 %
Total	4,882	1,737	6,619	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	2,649	0	2,649	59 %
Injection drug use	308	186	494	11 %
Men who have sex with men and inject drugs	275	0	275	6 %
Heterosexual contact	309	700	1,009	22 %
Transfusion/Hemophilia	17	15	32	1 %
Perinatal	24	35	59	1 %
Total	3,582	936	4,518	100 %

No Identified Risk

<i>1,300</i>	<i>801</i>	<i>2,101</i>
--------------	------------	--------------

Persons Living with AIDS
Region 1: New Orleans Region
as of December 31, 2013

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **10,143** cumulative AIDS cases have been diagnosed in Region 1, including **76** pediatric cases.
- **3,627** persons are currently living with AIDS in Region 1.

Gender

	Cases	Percent
Women	950	26 %
Men	2,677	74 %
Total	3,627	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	10	<1 %
20 - 24	87	2 %
25 - 29	169	5 %
30 - 34	301	8 %
35 - 39	374	10 %
40 - 44	475	13 %
45 - 49	624	17 %
50 - 54	636	18 %
55 - 59	484	13 %
60+	464	13 %
Total	3,627	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,495	800	2,295	63 %
White, Non-Hispanic	977	79	1,056	29 %
Hispanic	173	66	239	7 %
Asian/Pacific Islander	14	2	16	<1 %
American Indian	1	0	1	<1 %
Multi-race	17	3	20	1 %
Total	2,677	950	3,627	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,423	0	1,423	55 %
Injection drug use	196	109	305	12 %
Men who have sex with men and inject drugs	189	0	189	7 %
Heterosexual contact	197	406	603	23 %
Transfusion/Hemophilia	12	10	22	1 %
Perinatal	8	17	25	1 %
Total	2,025	542	2,567	100 %

<i>No Identified Risk</i>	<i>652</i>	<i>408</i>	<i>1,060</i>	
---------------------------	------------	------------	--------------	--

Persons Newly Diagnosed with HIV/AIDS**Region 1: New Orleans Region***Jefferson, Orleans, Plaquemines, St. Bernard Parishes***HIV CASES DIAGNOSED January - December 2012**

- 346 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	242	70 %	Black, Non-Hispanic	258	75 %
Women	104	30 %	White, Non-Hispanic	67	19 %
Total	346	100 %	Hispanic	17	5 %
			Asian/Pacific Islander	2	1 %
			American Indian	1	<1 %
			Unknown	1	<1 %
			Total	346	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	3	1 %	Men who have sex with men	144	62 %
13 - 24	84	24 %	Injection drug use	12	5 %
25 - 34	105	30 %	Men who have sex with men and inject drugs	2	1 %
35 - 44	64	18 %	Heterosexual contact	71	31 %
45+	90	26 %	Perinatal	3	1 %
Total	346	100 %	Total	232	100 %

*No Identified Risk**114***AIDS CASES DIAGNOSED January - December 2012**

- 255 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	184	72 %	Black, Non-Hispanic	198	78 %
Women	71	28 %	White, Non-Hispanic	37	15 %
Total	255	100 %	Hispanic	16	6 %
			Asian/Pacific Islander	1	<1 %
			American Indian	1	<1 %
			Multi-race	2	1 %
			Total	255	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	97	56 %
13 - 24	32	13 %	Injection drug use	15	9 %
25 - 34	75	29 %	Men who have sex with men and inject drugs	6	3 %
35 - 44	67	26 %	Heterosexual contact	53	31 %
45+	80	31 %	Perinatal	2	1 %
Total	255	100 %	Total	173	100 %

*No Identified Risk**82*

Persons Living with HIV/AIDS**Region 2: Baton Rouge Region****as of December 31, 2013***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **7,565** cumulative cases have been detected in Region 2, including **73** pediatric cases.
- **3,226** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **17** pediatric deaths.
- **4,868** persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: **2,133**
Persons living with AIDS: **2,735**

Gender

	Cases	Percent
Women	1,753	36 %
Men	3,115	64 %
Total	4,868	100 %

Age Category

Current Age	Cases	Percent
0 - 12	22	<1 %
13 - 19	43	1 %
20 - 24	243	5 %
25 - 29	412	8 %
30 - 34	607	12 %
35 - 39	623	13 %
40 - 44	661	14 %
45 - 49	677	14 %
50 - 54	694	14 %
55 - 59	448	9 %
60+	438	9 %
Total	4,868	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,498	1,602	4,100	84 %
White, Non-Hispanic	546	126	672	14 %
Hispanic	44	13	57	1 %
Asian/Pacific Islander	8	2	10	<1 %
American Indian	2	1	3	<1 %
Multi-race	17	9	26	1 %
Total	3,115	1,753	4,868	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,203	0	1,203	40 %
Injection drug use	385	218	603	20 %
Men who have sex with men and inject drugs	194	0	194	6 %
Heterosexual contact	317	630	947	31 %
Transfusion/Hemophilia	5	8	13	<1 %
Perinatal	27	26	53	2 %
Total	2,131	882	3,013	100 %
<i>No Identified Risk</i>	<i>984</i>	<i>871</i>	<i>1,855</i>	

Persons Living with AIDS
Region 2: Baton Rouge Region
as of December 31, 2013

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **5,164** cumulative AIDS cases have been diagnosed in Region 2, including **33** pediatric cases.
- **2,735** persons are currently living with AIDS in Region 2.

Gender

	Cases	Percent
Women	907	33 %
Men	1,828	67 %
Total	2,735	100 %

Age Category

Current Age	Cases	Percent
0 - 12	4	<1 %
13 - 19	13	<1 %
20 - 24	62	2 %
25 - 29	154	6 %
30 - 34	289	11 %
35 - 39	336	12 %
40 - 44	403	15 %
45 - 49	425	16 %
50 - 54	461	17 %
55 - 59	299	11 %
60+	289	11 %
Total	2,735	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,493	844	2,337	85 %
White, Non-Hispanic	298	55	353	13 %
Hispanic	23	6	29	1 %
Asian/Pacific Islander	3	0	3	<1 %
American Indian	2	0	2	<1 %
Multi-race	9	2	11	<1 %
Total	1,828	907	2,735	100 %

Exposure Category

Cases with a reported risk:

	Men	Women	Total	Percent
Men who have sex with men	647	0	647	36 %
Injection drug use	294	136	430	24 %
Men who have sex with men and inject drugs	139	0	139	8 %
Heterosexual contact	196	333	529	30 %
Transfusion/Hemophilia	4	6	10	1 %
Perinatal	10	8	18	1 %
Total	1,290	483	1,773	100 %

No Identified Risk

538 424 962

Persons Newly Diagnosed with HIV/AIDS**Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2012**

- 254 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	155	61 %	Black, Non-Hispanic	227	89 %
Women	99	39 %	White, Non-Hispanic	20	8 %
Total	254	100 %	Hispanic	6	2 %
			Asian/Pacific Islander	1	<1 %
			Total	254	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	4	2 %	Men who have sex with men	70	51 %
13 - 24	60	24 %	Injection drug use	12	9 %
25 - 34	82	32 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	49	19 %	Heterosexual contact	48	35 %
45+	59	23 %	Perinatal	4	3 %
Total	254	100 %	Total	137	100 %

<i>No Identified Risk</i>	<i>117</i>
---------------------------	------------

AIDS CASES DIAGNOSED January - December 2012

- 196 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	120	61 %	Black, Non-Hispanic	178	91 %
Women	76	39 %	White, Non-Hispanic	15	8 %
Total	196	100 %	Hispanic	3	2 %
			Total	196	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	26	13 %	Men who have sex with men	50	50 %
25 - 34	60	31 %	Injection drug use	19	19 %
35 - 44	47	24 %	Men who have sex with men and inject drugs	2	2 %
45+	63	32 %	Heterosexual contact	29	29 %
Total	196	100 %	Total	100	100 %

<i>No Identified Risk</i>	<i>96</i>
---------------------------	-----------

Persons Living with HIV/AIDS
Region 3: Houma Region
as of December 31, 2013

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

- **1,163** cumulative cases have been detected in Region 3, including **18** pediatric cases.
- **525** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **8** pediatric deaths.
- **780** persons are currently living with HIV/AIDS in Region 3.
Persons living with HIV: **342**
Persons living with AIDS: **438**

Gender

	Cases	Percent
Women	254	33 %
Men	526	67 %
Total	780	100 %

Age Category

Current Age	Cases	Percent
0 - 12	4	1 %
13 - 19	10	1 %
20 - 24	45	6 %
25 - 29	91	12 %
30 - 34	85	11 %
35 - 39	88	11 %
40 - 44	90	12 %
45 - 49	109	14 %
50 - 54	110	14 %
55 - 59	79	10 %
60+	69	9 %
Total	780	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	272	189	461	59 %
White, Non-Hispanic	229	56	285	37 %
Hispanic	18	5	23	3 %
Asian/Pacific Islander	2	1	3	<1 %
American Indian	1	1	2	<1 %
Multi-race	4	2	6	1 %
Total	526	254	780	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	311	0	311	57 %
Injection drug use	33	20	53	10 %
Men who have sex with men and inject drugs	15	0	15	3 %
Heterosexual contact	35	119	154	28 %
Perinatal	8	7	15	3 %
Total	402	146	548	100 %
<i>No Identified Risk</i>	<i>124</i>	<i>108</i>	<i>232</i>	

Persons Living with AIDS**Region 3: Houma Region****as of December 31, 2013***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **857** cumulative AIDS cases have been diagnosed in Region 3, including **10** pediatric cases.

- **438** persons are currently living with AIDS in Region 3.

Gender

	Cases	Percent
Women	130	30 %
Men	308	70 %
Total	438	100 %

Age Category

Current Age	Cases	Percent
13 - 19	3	1 %
20 - 24	18	4 %
25 - 29	30	7 %
30 - 34	40	9 %
35 - 39	49	11 %
40 - 44	49	11 %
45 - 49	69	16 %
50 - 54	75	17 %
55 - 59	62	14 %
60+	43	10 %
Total	438	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	161	101	262	60 %
White, Non-Hispanic	129	24	153	35 %
Hispanic	14	2	16	4 %
Asian/Pacific Islander	1	1	2	<1 %
American Indian	1	1	2	<1 %
Multi-race	2	1	3	1 %
Total	308	130	438	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	172	0	172	56 %
Injection drug use	26	10	36	12 %
Men who have sex with men and inject drugs	11	0	11	4 %
Heterosexual contact	23	59	82	27 %
Perinatal	4	4	8	3 %
Total	236	73	309	100 %

No Identified Risk

<i>72</i>	<i>57</i>	<i>129</i>
-----------	-----------	------------

Persons Newly Diagnosed with HIV/AIDS**Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2012**

- 54 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	37	69 %	Black, Non-Hispanic	45	83 %
Women	17	31 %	White, Non-Hispanic	6	11 %
Total	54	100 %	Hispanic	3	6 %
			Total	54	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	2 %	Men who have sex with men	15	52 %
13 - 24	13	24 %	Injection drug use	1	3 %
25 - 34	14	26 %	Heterosexual contact	12	41 %
35 - 44	11	20 %	Perinatal	1	3 %
45+	15	28 %	Total	29	100 %
Total	54	100 %	<i>No Identified Risk</i>	25	

AIDS CASES DIAGNOSED January - December 2012

- 37 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	26	70 %	Black, Non-Hispanic	30	81 %
Women	11	30 %	White, Non-Hispanic	6	16 %
Total	37	100 %	Hispanic	1	3 %
			Total	37	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	11	30 %	Men who have sex with men	15	68 %
25 - 34	7	19 %	Heterosexual contact	7	32 %
35 - 44	8	22 %	Total	22	100 %
45+	11	30 %	<i>No Identified Risk</i>	15	
Total	37	100%			

Persons Living with HIV/AIDS**Region 4: Lafayette Region****as of December 31, 2013***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **2,206** cumulative cases have been detected in Region 4, including **17** pediatric cases.
- **1,005** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,481** persons are currently living with HIV/AIDS in Region 4.
Persons living with HIV: **673**
Persons living with AIDS: **808**

Gender

	Cases	Percent
Women	374	25 %
Men	1,107	75 %
Total	1,481	100 %

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	11	1 %
20 - 24	72	5 %
25 - 29	119	8 %
30 - 34	139	9 %
35 - 39	142	10 %
40 - 44	186	13 %
45 - 49	257	17 %
50 - 54	251	17 %
55 - 59	167	11 %
60+	135	9 %
Total	1,481	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	578	265	843	57 %
White, Non-Hispanic	459	99	558	38 %
Hispanic	53	3	56	4 %
Asian/Pacific Islander	2	2	4	<1 %
American Indian	2	2	4	<1 %
Unknown	1	0	1	<1 %
Multi-race	12	3	15	1 %
Total	1,107	374	1,481	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	541	0	541	55 %
Injection drug use	77	52	129	13 %
Men who have sex with men and inject drugs	61	0	61	6 %
Heterosexual contact	73	161	234	24 %
Transfusion/Hemophilia	4	1	5	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	5	5	10	1 %
Total	761	220	981	100 %

*No Identified Risk**346**154**500*

Persons Living with AIDS**Region 4: Lafayette Region****as of December 31, 2013***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **1,474** cumulative AIDS cases have been diagnosed in Region 4, including **14** pediatric cases.

- **808** persons are currently living with AIDS in Region 4.

Gender

	Cases	Percent
Women	186	23 %
Men	622	77 %
Total	808	100 %

Age Category

Current Age	Cases	Percent
0 - 12	1	<1 %
13 - 19	3	<1 %
20 - 24	18	2 %
25 - 29	46	6 %
30 - 34	67	8 %
35 - 39	79	10 %
40 - 44	100	12 %
45 - 49	155	19 %
50 - 54	152	19 %
55 - 59	103	13 %
60+	84	10 %
Total	808	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	321	136	457	57 %
White, Non-Hispanic	269	45	314	39 %
Hispanic	24	1	25	3 %
Asian/Pacific Islander	1	1	2	<1 %
American Indian	0	1	1	<1 %
Multi-race	7	2	9	1 %
Total	622	186	808	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	310	0	310	55 %
Injection drug use	54	24	78	14 %
Men who have sex with men and inject drugs	43	0	43	8 %
Heterosexual contact	37	88	125	22 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	3	5	8	1 %
Total	449	118	567	100 %

No Identified Risk

<i>173</i>	<i>68</i>	<i>241</i>
------------	-----------	------------

Persons Newly Diagnosed with HIV/AIDS**Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2012**

- 81 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	63	78 %	Black, Non-Hispanic	55	68 %
Women	18	22 %	White, Non-Hispanic	23	28 %
Total	81	100 %	Hispanic	1	1 %
			Asian/Pacific Islander	2	2 %
			Total	81	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	27	33 %	Men who have sex with men	33	63 %
25 - 34	15	19 %	Injection drug use	6	12 %
35 - 44	13	16 %	Heterosexual contact	13	25 %
45+	26	32 %	Total	52	100 %
Total	81	100 %	<i>No Identified Risk</i>	29	

AIDS CASES DIAGNOSED January - December 2012

- 59 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	42	71 %	Black, Non-Hispanic	39	66 %
Women	17	29 %	White, Non-Hispanic	17	29 %
Total	59	100 %	Hispanic	1	2 %
			Asian/Pacific Islander	1	2 %
			Multi-race	1	2 %
			Total	59	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	10	17 %	Men who have sex with men	19	54 %
25 - 34	13	22 %	Injection drug use	6	17 %
35 - 44	9	15 %	Heterosexual contact	9	26 %
45+	27	46 %	Perinatal	1	3 %
Total	59	100 %	Total	35	100 %
			<i>No Identified Risk</i>	24	

Persons Living with HIV/AIDS
Region 5: Lake Charles Region
as of December 31, 2013

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **1,363** cumulative cases have been detected in Region 5,
including **10** pediatric cases.
- **544** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred,
including **2** pediatric deaths.
- **1,018** persons are currently living with HIV/AIDS in Region 5.
Persons living with HIV: **437**
Persons living with AIDS: **581**

Gender

	Cases	Percent
Women	241	24 %
Men	777	76 %
Total	1,018	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	5	<1 %
20 - 24	44	4 %
25 - 29	71	7 %
30 - 34	105	10 %
35 - 39	123	12 %
40 - 44	140	14 %
45 - 49	174	17 %
50 - 54	181	18 %
55 - 59	93	9 %
60+	79	8 %
Total	1,018	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	425	166	591	58 %
White, Non-Hispanic	257	65	322	32 %
Hispanic	79	5	84	8 %
Asian/Pacific Islander	5	0	5	<1 %
American Indian	3	0	3	<1 %
Multi-race	8	5	13	1 %
Total	777	241	1,018	100 %

Exposure Category

Cases with a reported risk:

	Men	Women	Total	Percent
Men who have sex with men	333	0	333	45 %
Injection drug use	92	40	132	18 %
Men who have sex with men and inject drugs	73	0	73	10 %
Heterosexual contact	91	107	198	26 %
Transfusion/Hemophilia	2	0	2	<1 %
Perinatal	4	6	10	1 %
Total	595	153	748	100 %

No Identified Risk

182 88 270

**Persons Living with AIDS
Region 5: Lake Charles Region
as of December 31, 2013**

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **941** cumulative AIDS cases have been diagnosed in Region 5, including **6** pediatric cases.
- **581** persons are currently living with AIDS in Region 5.

Gender

	Cases	Percent
Women	119	20 %
Men	462	80 %
Total	581	100 %

Age Category

Current Age	Cases	Percent
0 - 12	2	<1 %
13 - 19	1	<1 %
20 - 24	11	2 %
25 - 29	34	6 %
30 - 34	52	9 %
35 - 39	66	11 %
40 - 44	86	15 %
45 - 49	113	19 %
50 - 54	114	20 %
55 - 59	51	9 %
60+	51	9 %
Total	581	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	253	81	334	57 %
White, Non-Hispanic	163	34	197	34 %
Hispanic	39	2	41	7 %
Asian/Pacific Islander	2	0	2	<1 %
Multi-race	5	2	7	1 %
Total	462	119	581	100 %

Exposure Category

Cases with a reported risk:

	Men	Women	Total	Percent
Men who have sex with men	204	0	204	45 %
Injection drug use	62	22	84	19 %
Men who have sex with men and inject drugs	52	0	52	12 %
Heterosexual contact	53	50	103	23 %
Transfusion/Hemophilia	1	0	1	<1 %
Perinatal	3	2	5	1 %
Total	375	74	449	100 %

No Identified Risk

87 45 132

Persons Newly Diagnosed with HIV/AIDS**Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***HIV CASES DIAGNOSED January - December 2012**

- 38 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	31	82 %	Black, Non-Hispanic	16	42 %
Women	7	18 %	White, Non-Hispanic	19	50 %
Total	38	100 %	Hispanic	1	3 %
			Multi-race	2	5 %
			Total	38	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	7	18 %	Men who have sex with men	18	60 %
25 - 34	12	32 %	Injection drug use	6	20 %
35 - 44	8	21 %	Heterosexual contact	6	20 %
45+	11	29 %	Total	30	100 %
Total	38	100 %	<i>No Identified Risk</i>	8	

AIDS CASES DIAGNOSED January - December 2012

- 33 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	24	73 %	Black, Non-Hispanic	19	58 %
Women	9	27 %	White, Non-Hispanic	11	33 %
Total	33	100 %	Hispanic	2	6 %
			Multi-race	1	3 %
			Total	33	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	2	6 %	Men who have sex with men	10	40 %
25 - 34	12	36 %	Injection drug use	5	20 %
35 - 44	8	24 %	Heterosexual contact	9	36 %
45+	11	33 %	Perinatal	1	4 %
Total	33	100 %	Total	25	100 %
			<i>No Identified Risk</i>	8	

Persons Living with HIV/AIDS**Region 6: Alexandria Region****as of December 31, 2013***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **1,488** cumulative cases have been detected in Region 6, including **15** pediatric cases.
- **548** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **5** pediatric deaths.
- **850** persons are currently living with HIV/AIDS in Region 6.
Persons living with HIV: **422**
Persons living with AIDS: **428**

Gender

	Cases	Percent
Women	262	31 %
Men	588	69 %
Total	850	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	6	1 %
20 - 24	36	4 %
25 - 29	67	8 %
30 - 34	94	11 %
35 - 39	118	14 %
40 - 44	106	12 %
45 - 49	127	15 %
50 - 54	129	15 %
55 - 59	97	11 %
60+	67	8 %
Total	850	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	376	209	585	69 %
White, Non-Hispanic	167	44	211	25 %
Hispanic	39	6	45	5 %
Asian/Pacific Islander	3	0	3	<1 %
American Indian	0	1	1	<1 %
Multi-race	3	2	5	1 %
Total	588	262	850	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	233	0	233	42 %
Injection drug use	63	22	85	15 %
Men who have sex with men and inject drugs	36	0	36	6 %
Heterosexual contact	63	126	189	34 %
Transfusion/Hemophilia	6	2	8	1 %
Perinatal	5	3	8	1 %
Total	406	153	559	100 %

No Identified Risk

<i>182</i>	<i>198</i>	<i>291</i>
------------	------------	------------

Persons Living with AIDS

Region 6: Alexandria Region

as of December 31, 2013

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- **909** cumulative AIDS cases have been diagnosed in Region 6, including **6** pediatric cases.
- **428** persons are currently living with AIDS in Region 6.

Gender

	Cases	Percent
Women	128	30 %
Men	300	70 %
Total	428	100 %

Age Category

Current Age	Cases	Percent
0 - 12	1	<1 %
13 - 19	1	<1 %
20 - 24	8	2 %
25 - 29	21	5 %
30 - 34	37	9 %
35 - 39	50	12 %
40 - 44	60	14 %
45 - 49	74	17 %
50 - 54	77	18 %
55 - 59	52	12 %
60+	47	11 %
Total	428	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	200	102	302	71 %
White, Non-Hispanic	84	24	108	25 %
Hispanic	14	1	15	4 %
Asian/Pacific Islander	1	0	1	<1 %
Multi-race	1	1	2	<1 %
Total	300	128	428	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	115	0	115	40 %
Injection drug use	33	12	45	16 %
Men who have sex with men and inject drugs	27	0	27	9 %
Heterosexual contact	31	62	93	32 %
Transfusion/Hemophilia	4	0	5	2 %
Perinatal	1	2	3	1 %
Total	211	77	288	100 %

<i>No Identified Risk</i>	<i>89</i>	<i>51</i>	<i>140</i>
---------------------------	-----------	-----------	------------

Persons Newly Diagnosed with HIV/AIDS**Region 6: Alexandria Region***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes***HIV CASES DIAGNOSED January - December 2012**

- 58 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	42	72 %	Black, Non-Hispanic	33	57 %
Women	16	28 %	White, Non-Hispanic	16	28 %
Total	58	100 %	Hispanic	7	12 %
			Asian/Pacific Islander	1	2 %
			Multi-race	1	2 %
			Total	58	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	2 %	Men who have sex with men	18	51 %
13 - 24	12	21 %	Injection drug use	2	6 %
25 - 34	14	24 %	Men who have sex with men and inject drugs	2	6 %
35 - 44	13	22 %	Heterosexual contact	12	34 %
45+	18	31 %	Perinatal	1	3 %
Total	58	100 %	Total	35	100 %
			<i>No Identified Risk</i>	<i>23</i>	

AIDS CASES DIAGNOSED January - December 2012

- 35 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	18	51 %	Black, Non-Hispanic	29	83 %
Women	17	49 %	White, Non-Hispanic	4	11 %
Total	35	100 %	Hispanic	2	6 %
			Total	35	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	2	6 %	Men who have sex with men	7	37 %
25 - 34	11	31 %	Injection drug use	1	5 %
35 - 44	10	29 %	Men who have sex with men and inject drugs	1	5 %
45+	12	34 %	Heterosexual contact	10	53 %
Total	35	100 %	Total	19	100 %
			<i>No Identified Risk</i>	<i>16</i>	

Persons Living with HIV/AIDS**Region 7: Shreveport Region****as of December 31, 2013***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **2,382** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- **1,058** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **12** pediatric deaths.
- **1,565** persons are currently living with HIV/AIDS in Region 7.
Persons living with HIV: **757**
Persons living with AIDS: **808**

Gender

	Cases	Percent
Women	462	30 %
Men	1,103	70 %
Total	1,565	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	20	1 %
20 - 24	123	8 %
25 - 29	173	11 %
30 - 34	192	12 %
35 - 39	193	12 %
40 - 44	175	11 %
45 - 49	214	14 %
50 - 54	207	13 %
55 - 59	137	9 %
60+	128	8 %
Total	1,565	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	755	373	1,128	72 %
White, Non-Hispanic	311	80	391	25 %
Hispanic	21	7	28	2 %
Asian/Pacific Islander	4	0	4	<1 %
American Indian	8	1	9	1 %
Multi-race	4	1	5	<1 %
Total	1,103	462	1,565	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	588	0	588	56 %
Injection drug use	53	40	93	9 %
Men who have sex with men and inject drugs	77	0	77	7 %
Heterosexual contact	76	202	278	26 %
Transfusion/Hemophilia	2	3	5	<1 %
Perinatal	6	6	12	1 %
Total	802	251	1,053	100 %

No Identified Risk

<i>301</i>	<i>211</i>	<i>512</i>
------------	------------	------------

Persons Living with AIDS**Region 7: Shreveport Region****as of December 31, 2013***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **1,551** cumulative AIDS cases have been diagnosed in Region 7, including **19** pediatric cases.

- **808** persons are currently living with AIDS in Region 7.

Gender

	Cases	Percent
Women	236	29 %
Men	572	71 %
Total	808	100 %

Age Category

Current Age	Cases	Percent
0 - 12	1	<1 %
13 - 19	6	1 %
20 - 24	30	4 %
25 - 29	57	7 %
30 - 34	83	10 %
35 - 39	92	11 %
40 - 44	94	12 %
45 - 49	132	16 %
50 - 54	136	17 %
55 - 59	92	11 %
60+	85	11 %
Total	808	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	389	192	581	72 %
White, Non-Hispanic	165	38	203	25 %
Hispanic	9	5	14	2 %
Asian/Pacific Islander	3	0	3	<1 %
American Indian	4	0	4	<1 %
Multi-race	2	1	3	<1 %
Total	572	236	808	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	280	0	280	51 %
Injection drug use	35	17	52	9 %
Men who have sex with men and inject drugs	48	0	48	9 %
Heterosexual contact	55	107	162	29 %
Transfusion/Hemophilia	1	3	4	1 %
Perinatal	3	4	7	1 %
Total	422	131	553	100 %

*No Identified Risk**150**105**255*

Persons Newly Diagnosed with HIV/AIDS**Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2012**

- 81 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	60	74 %	Black, Non-Hispanic	69	85 %
Women	21	26 %	White, Non-Hispanic	8	10 %
Total	81	100 %	Hispanic	1	1 %
			Multi-race	3	4 %
			Total	81	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	26	32 %	Men who have sex with men	33	73 %
25 - 34	19	23 %	Injection drug use	3	7 %
35 - 44	20	25 %	Men who have sex with men and inject drugs	1	2 %
45+	16	20 %	Heterosexual contact	8	18 %
Total	81	100 %	Total	45	100 %
			<i>No Identified Risk</i>	<i>36</i>	

AIDS CASES DIAGNOSED January - December 2012

- 66 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	41	62 %	Black, Non-Hispanic	56	85 %
Women	25	38 %	White, Non-Hispanic	7	11 %
Total	66	100 %	Hispanic	1	2 %
			American Indian	1	2 %
			Multi-race	1	2 %
			Total	66	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	16	24 %	Men who have sex with men	18	50 %
25 - 34	20	30 %	Injection drug use	3	8 %
35 - 44	15	23 %	Heterosexual contact	15	42 %
45+	15	23 %	Total	36	100 %
Total	66	100 %	<i>No Identified Risk</i>	<i>30</i>	

Persons Living with HIV/AIDS**Region 8: Monroe Region****as of December 31, 2013***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,743** cumulative cases have been detected in Region 8, including **18** pediatric cases.
- **723** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **1,019** persons are currently living with HIV/AIDS in Region 8.
Persons living with HIV: **490**
Persons living with AIDS: **529**

Gender

	Cases	Percent
Women	354	35 %
Men	665	65 %
Total	1,019	100 %

Age Category

Current Age	Cases	Percent
0 - 12	6	1 %
13 - 19	18	2 %
20 - 24	57	6 %
25 - 29	77	8 %
30 - 34	117	11 %
35 - 39	132	13 %
40 - 44	139	14 %
45 - 49	132	13 %
50 - 54	146	14 %
55 - 59	97	10 %
60+	98	10 %
Total	1,019	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	479	296	775	76 %
White, Non-Hispanic	162	48	210	21 %
Hispanic	12	6	18	2 %
Asian/Pacific Islander	3	1	4	<1 %
American Indian	3	1	4	<1 %
Unknown	1	0	1	<1 %
Multi-race	5	2	7	1 %
Total	665	354	1,019	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	356	0	356	50 %
Injection drug use	37	35	72	10 %
Men who have sex with men and inject drugs	40	0	40	6 %
Heterosexual contact	67	153	220	31 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	3	10	13	2 %
Total	505	201	706	100 %

*No Identified Risk**160 153 313*

Persons Living with AIDS**Region 8: Monroe Region****as of December 31, 2013***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,111** cumulative AIDS cases have been diagnosed in Region 8, including **9** pediatric cases.

- **529** persons are currently living with AIDS in Region 8.

Gender

	Cases	Percent
Women	167	32 %
Men	362	68 %
Total	529	100 %

Age Category

Current Age	Cases	Percent
13 - 19	4	1 %
20 - 24	17	3 %
25 - 29	19	4 %
30 - 34	45	9 %
35 - 39	79	15 %
40 - 44	87	16 %
45 - 49	77	15 %
50 - 54	79	15 %
55 - 59	63	12 %
60+	59	11 %
Total	529	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	257	139	396	75 %
White, Non-Hispanic	93	25	118	22 %
Hispanic	7	2	9	2 %
Asian/Pacific Islander	2	0	2	<1 %
American Indian	1	0	1	<1 %
Multi-race	2	1	3	1 %
Total	362	167	529	100 %

Exposure Category**Cases with a reported risk:**

	Men	Women	Total	Percent
Men who have sex with men	180	0	180	48 %
Injection drug use	20	23	43	12 %
Men who have sex with men and inject drugs	28	0	28	8 %
Heterosexual contact	43	72	115	31 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	2	2	4	1 %
Total	275	98	373	100 %

No Identified Risk

<i>87</i>	<i>69</i>	<i>156</i>
-----------	-----------	------------

Persons Newly Diagnosed with HIV/AIDS**Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2012**

- 78 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	55	71 %	Black, Non-Hispanic	64	82 %
Women	23	29 %	White, Non-Hispanic	10	13 %
Total	78	100 %	Hispanic	3	4 %
			American Indian	1	1 %
			Total	78	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	26	33 %	Men who have sex with men	27	69 %
25 - 34	13	17 %	Injection drug use	1	3 %
35 - 44	12	15 %	Men who have sex with men and inject drugs	1	3 %
45+	27	35 %	Heterosexual contact	10	26 %
Total	78	100 %	Total	39	100 %

No Identified Risk

39

AIDS CASES DIAGNOSED January - December 2012

- 49 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	31	63 %	Black, Non-Hispanic	39	80 %
Women	18	37 %	White, Non-Hispanic	5	10 %
Total	49	100 %	Hispanic	3	6 %
			American Indian	1	2 %
			Multi-race	1	2 %
			Total	49	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	7	14 %	Men who have sex with men	12	50 %
25 - 34	8	16 %	Injection drug use	2	8 %
35 - 44	15	31 %	Heterosexual contact	9	38 %
45+	19	39 %	Perinatal	1	4 %
Total	49	100 %	Total	24	100 %

No Identified Risk

25

Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region
as of December 31, 2013

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,550** cumulative cases have been detected in Region 9, including **18** pediatric cases.
- **645** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **7** pediatric deaths.
- **1,175** persons are currently living with HIV/AIDS in Region 9.
Persons living with HIV: **539**
Persons living with AIDS: **636**

Gender

	Cases	Percent
Women	314	27 %
Men	861	73 %
Total	1,175	100 %

Age Category

Current Age	Cases	Percent
0 - 12	6	1 %
13 - 19	6	1 %
20 - 24	51	4 %
25 - 29	84	7 %
30 - 34	84	7 %
35 - 39	138	12 %
40 - 44	154	13 %
45 - 49	206	18 %
50 - 54	202	17 %
55 - 59	137	12 %
60+	107	9 %
Total	1,175	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	395	199	594	51 %
White, Non-Hispanic	439	104	543	46 %
Hispanic	19	9	28	2 %
Asian/Pacific Islander	2	2	4	<1 %
American Indian	1	0	1	<1 %
Multi-race	5	0	5	<1 %
Total	861	314	1,175	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	457	0	457	56 %
Injection drug use	62	43	105	13 %
Men who have sex with men and inject drugs	54	0	54	7 %
Heterosexual contact	61	115	176	22 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	10	6	16	2 %
Total	650	164	814	100 %
<i>No Identified Risk</i>	<i>211</i>	<i>150</i>	<i>361</i>	

Persons Living with AIDS
Region 9: Hammond/Slidell Region
as of December 31, 2013

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,052** cumulative AIDS cases have been diagnosed in Region 9, including **10** pediatric cases.
- **636** persons are currently living with AIDS in Region 9.

Gender

	Cases	Percent
Women	149	23 %
Men	487	77 %
Total	636	100 %

Age Category

Current Age	Cases	Percent
13 - 19	1	<1 %
20 - 24	14	2 %
25 - 29	29	5 %
30 - 34	33	5 %
35 - 39	77	12 %
40 - 44	82	13 %
45 - 49	120	19 %
50 - 54	127	20 %
55 - 59	82	13 %
60+	71	11 %
Total	636	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	222	94	316	50 %
White, Non-Hispanic	248	48	296	47 %
Hispanic	11	6	17	3 %
Asian/Pacific Islander	1	1	2	<1 %
American Indian	1	0	1	<1 %
Multi-race	4	0	4	1 %
Total	487	149	636	100 %

Exposure Category

Cases with a reported risk:

	Men	Women	Total	Percent
Men who have sex with men	258	0	258	57 %
Injection drug use	44	21	65	14 %
Men who have sex with men and inject drugs	28	0	28	6 %
Heterosexual contact	34	54	88	20 %
Transfusion/Hemophilia	5	0	5	1 %
Perinatal	5	1	6	1 %
Total	374	76	450	100 %

No Identified Risk

113 73 186

Persons Newly Diagnosed with HIV/AIDS**Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2012**

- 72 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	55	76 %	Black, Non-Hispanic	35	49 %
Women	17	24 %	White, Non-Hispanic	32	44 %
Total	72	100 %	Hispanic	3	4 %
			Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			Total	72	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	1 %	Men who have sex with men	32	78 %
13 - 24	18	25 %	Injection drug use	5	12 %
25 - 34	14	19 %	Heterosexual contact	3	7 %
35 - 44	12	17 %	Perinatal	1	2 %
45+	27	38 %	Total	41	100 %
Total	72	100 %	<i>No Identified Risk</i>	<i>31</i>	



AIDS CASES DIAGNOSED January - December 2012

- 48 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	35	73 %	Black, Non-Hispanic	25	52 %
Women	13	27 %	White, Non-Hispanic	21	44 %
Total	48	100 %	Asian/Pacific Islander	1	2 %
			Multi-race	1	2 %
			Total	48	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	8	17 %	Men who have sex with men	17	68 %
25 - 34	10	21 %	Injection drug use	3	12 %
35 - 44	8	17 %	Men who have sex with men and inject drugs	1	4 %
45+	22	46 %	Heterosexual contact	4	16 %
Total	48	100 %	Total	25	100 %
			<i>No Identified Risk</i>	<i>23</i>	

10-Year Trends in New HIV Diagnoses and New AIDS Diagnoses Louisiana, (2003-2012)



10-Year Trends in Persons Living With HIV/AIDS and Persons Living with AIDS Louisiana (2003-2012)

